

CONTENTS

Preface	v
ALLOY STABILITY	
A first-principles study of phase stability in Ni-Al and Ni-Ti alloys M. Sluiter, P. E. A. Turchi (Livermore, CA, USA), F. J. Pinski (Cincinnati, OH, USA) and G. M. Stocks (Oak Ridge, TN, USA)	1
Thermodynamic calculation of the ternary Ti-Al-Nb system U. R. Kattner and W. J. Boettinger (Gaithersburg, MD, USA)	9
Planar defect energies by the embedded atom method and dissociated superdislocation configurations in the L1 ₀ -type TiAl compound Z. C. Liu and S. H. Whang (Brooklyn, NY, USA)	18
Design of Al ₃ (Ti, V, Zr) systems through phase stability calculations H. M. Lee (Taejeon, South Korea)	26
The phase transformations in alloys based on titanium aluminides Ti ₃ Al-V and TiAl-V T. Ahmed and H. M. Flower (London, UK)	31
Effect of vanadium on elevated temperature phase relations in titanium aluminides containing 44 at.% Al . P. K. Chaudhury, M. Long and H. J. Rack (Clemson, SC, USA)	37
PHASE TRANSFORMATIONS	
Intermetallic Ti-Al-Nb alloys based on strengthening of the orthorhombic phase by ω -type phases L. A. Bendersky, W. J. Boettinger and F. S. Biancaniello (Gaithersburg, MD, USA)	41
Influence of an increasing content of molybdenum on phase transformations of Ti-Al-Mo aluminides— relation with mechanical properties S. Djanarthany, C. Servant and R. Penelle (Orsay, France)	48
Study of phase stability in Ti-Al-X systems at high temperatures M. Kumura, K. Hashimoto and H. Morikawa (Kawasaki, Japan)	54
Thermal evidence for the structural instability in Ni ₃ Al alloys R. Ramesh, B. Pathiraj, B. H. Kolster (Hengelo, Netherlands) and J. H. Maas (Enschede, Netherlands)	60
Phase relations in TiAl ₂ -based ternary titanium aluminides of iron or nickel N. Durlu and O. T. Inal (Socorro, NM, USA)	67
Phase stability in Be-Nb and Be-Nb-Zr intermetallics J. L. Brimhall, L. A. Charlot and S. M. Bruemmer (Richland, WA, USA)	76
DEFORMATION	
The effect of orientation and lamellar structure on the plastic behavior of TiAl crystals Y. Umakoshi, T. Nakano and T. Yamane (Osaka, Japan)	81
An atomistic study of dislocations and their mobility in a model D0 ₂₂ alloy M. Khantha, V. Vitek and D. P. Pope (Philadelphia, PA, USA)	89
An atomistic study of the dislocation core structures and mechanical behavior of a model D0 ₁₉ alloy J. Cserti, M. Khantha, V. Vitek and D. P. Pope (Philadelphia, PA, USA)	95
Atomistic modeling of dislocations in Be ₁₂ X compounds S. Sondhi, R. G. Hoagland and J. P. Hirth (Pullman, WA, USA)	103
MECHANICAL PROPERTIES	
Improvement in ductility of Ni ₃ Al by γ former doping A. Chiba, S. Hanada and S. Watanabe (Sendai, Japan)	108
Mechanical properties of advanced nickel aluminides D. J. Alexander and V. K. Sikka (Oak Ridge, TN, USA)	114
Behaviour of boron in poly- and monocrystalline Ni ₃ Al and its effect on strength at room and high temperature J. Guo, H. Li, C. Sun, S. Wang, D. Ren, L. Xiong and J. Jiang (Shenyang, China)	120

CONTENTS (continued)

Bend ductility, creep strength and physical properties of extruded chromium-modified Al_3Ti	126
J. H. Schneibel, J. A. Horton and W. D. Porter (Oak Ridge, TN, USA)	
Structure/property observations for Al-Ti-Cr alloys near the cubic $(\text{Al,Cr})_3\text{Ti}$ phase	132
J. P. Nic, J. L. Klansky and D. E. Mikkola (Houghton, MI, USA)	
The strength and ductility of Ni_3Ge with and without boron	138
J. Fang and E. M. Schulson (Hanover, NH, USA)	
Effects of test environment and grain size on the tensile properties of L_{1_2} -ordered $(\text{Co,Fe})_3\text{V}$ alloys	146
C. Nishimura and C. T. Liu (Oak Ridge, TN, USA)	
Room temperature deformation of CoSi_2 single crystals	153
K. Ito, H. Inui (Kyoto, Japan), T. Hirano (Ibaraki, Japan) and M. Yamaguchi (Kyoto, Japan)	
Deformation mechanisms and ductility of mechanically alloyed NiAl	160
S. Dymek, M. Dollar, S. J. Hwang and P. Nash (Chicago, IL, USA)	
Strength properties and enhanced plasticity of intermetallic Ti-Al-(CrSi) alloys	166
G. Frommeyer, W. Wunderlich, Th. Kremser and Z. G. Liu (Dusseldorf, Germany)	
POINT DEFECTS AND DISLOCATIONS	
Studies of vacancies and dislocations in TiAl by positron annihilation	173
Y. Shirai and M. Yamaguchi (Kyoto, Japan)	
Dissociation of superdislocations in single crystal $\text{L}_{1_0}\text{Ti-Al-V}$ compounds	182
Z. X. Li and S. H. Whang (Brooklyn, NY, USA)	
The strain field and work-hardening from antiphase boundary tubes in ordered alloys	189
P. M. Hazzledine (Dayton, OH, USA) and Y. Q. Sun (Oxford, UK)	
Dislocation structures and mechanisms of strain hardening in cyclically deformed $\text{Ni}_3\text{Al} + \text{B}$ single crystals	195
L. M. Hsiung (Charlottesville, VA, USA) and N. S. Stoloff (Troy, NY, USA)	
Microstructures of $\text{Nb-26Ti-48Al} + (\text{Nb,Ti})\text{B}$	202
C. R. Feng and D. J. Michel (Washington, DC, USA)	
A transmission electron microscopy study of dislocation structures in a directionally solidified Ni_3Al -based alloy deformed at 850°C	208
M. Wen and D.-L. Lin (Shanghai, China)	
MICROSTRUCTURE	
Mechanical behavior of ion-irradiated ordered intermetallic compounds	212
A. J. Ardell (Los Angeles, CA, USA)	
Three-phase $(\beta + \beta' + \gamma')$ Ni-Al-Ti-(Cr,Fe) alloys for high temperature use	227
R. Yang, J. A. Leake and R. W. Cahn (Cambridge, UK)	
On charge density determinations in intermetallics by quantitative convergent beam electron diffraction.	237
J. A. Horton, Z.-L. Wang (Oak Ridge, TN, USA), H. L. Fraser and R. Beanland (Columbus, OH, USA)	
Primary dendrite arm spacings and tip radii in directionally solidified Ni_3Al	240
H. K. Kim, J. C. Earthman and E. J. Lavernia (Irvine, CA, USA)	
Microstructure of precipitation strengthened Ni_3Al and TiAl	247
M. Nemoto, W. H. Tian, K. Harada, C. S. Han and T. Sano (Fukuoka, Japan)	
Effect of boron in two-phase $(\text{NiAl} + \text{Ni}_3\text{Al})$ alloy	253
J. H. Lee, B. H. Choe and H. M. Kim (Kyungnam, South Korea)	
The effect of annealing on Ni-Al-Fe B2 compounds	258
S. Guha, I. Baker, P. R. Munroe (Hanover, NH, USA) and J. R. Michael (Albuquerque, NM, USA)	
Microstructures and mechanical behaviors of Ni-Al-Fe intermetallic compounds	264
C. H. Tsau, J. S. C. Jang and J. W. Yeh (Hsinchu, Taiwan)	
Microstructural evolution and tensile properties of titanium-rich TiAl alloy	269
M. Takeyama (Tokyo, Japan)	

CONTENTS (continued)

Microstructural evaluation of as-solidified and heat treated γ -TiAl based powders	277
G. E. Fuchs and S. Z. Hayden (Schenectady, NY, USA)	
Homogeneity and mechanical properties of TiAl	283
S. Yamauchi and H. Shiraishi (Amagasaki, Japan)	
Microstructures and properties of high melting point intermetallic Ti_5Si_3 and TiSi_2 compounds	288
R. Rosenkranz, G. Frommeyer (Düsseldorf, Germany) and W. Smarsly (München, Germany)	
Mirostructure and phase evolution in rapidly-solidified Ti-24Al-11Nb	295
L. M. Hsiung, W. Cai and H. N. G. Wadley (Charlottesville, VA, USA)	
Effect of heat treatment on microstructure and microhardness of spot welds in Ti-26Al-11Nb	304
V. L. Acoff, R. G. Thompson, R. D. Griffin and B. Radhakrishnan (Birmingham, AL, USA)	
The microstructure and mechanical properties of the intermetallic compound Super Alpha 2	310
G. Proske, G. Lütjering, J. Albrecht (Hamburg, Germany), D. Helm and M. Daeubler (Munich, Germany)	
Microstructure and tensile properties of a Ti_3Al -Nb-Mo-V alloy	317
T. Jia, B. Wang, D. Zou, H. Ma and Z. Zhang (Beijing, China)	
Microstructural characterization of precipitates formed during high temperature testing and processing of iron-aluminide alloys	322
P. J. Maziasz and C. G. McKamey (Oak Ridge, TN, USA)	
Abnormal grain growth in textured FeAl intermetallics.	335
J. J. Stout and M. A. Crimp (East Lansing, MI, USA)	
Age hardening behavior of a hypo-stoichiometric Fe_3Al intermetallic compound	341
J.-W. Park and I.-G. Moon (Seoul, South Korea)	
Microstructure of Nb_2Al - NbAl_3 eutectic alloys produced by unidirectional solidification	349
T. Kumagai and S. Hanada (Sendai, Japan)	

